

Safety Data Sheet

ESSECHLOR

Safety Data Sheet dated 16/11/2022 version 15



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Identification of the substance:

Trade name: ESSECHLOR

Chemical name: alkanes, C14-17, chloro

CAS number: 85535-85-9

EC number: 287-477-0

Index number: 602-095-00-X

Registration Number 01-2119519269-33-0009

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use: FOR INDUSTRIAL USE

FOR PROFESSIONAL USE

Uses advised against: Do not discharge MCCP during use

1.3. Details of the supplier of the safety data sheet

Company:

ALTAIR CHIMICA S.p.a.

Via Moie Vecchie 13

56048 Saline di Volterra (PI)

Competent person responsible for the safety data sheet: sds@altairchimica.com

1.4. Emergency telephone number

ALTAIR CHIMICA S.p.a. Phone n. +39-0588-9811

Malta: 112

SECTION 2: Hazards identification



2.1. Classification of the substance or mixture

Regulation (EC) n. 1272/2008 (CLP)

Lact. May cause harm to breast-fed children.

Aquatic Acute 1 Very toxic to aquatic life.

Aquatic Chronic 1 Very toxic to aquatic life with long lasting effects.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Regulation (EC) No 1272/2008 (CLP):

Pictograms and Signal Words



Warning

Hazard statements

H362 May cause harm to breast-fed children.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P263 Avoid contact during pregnancy and while nursing.

P273 Avoid release to the environment.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P391 Collect spillage.

P501 Dispose of contents/container in accordance with applicable regulations.

Special Provisions:

EUH066 Repeated exposure may cause skin dryness or cracking.

Special provisions according to Annex XVII of REACH and subsequent amendments:
None.

2.3. Other hazards

Material Properties

PBT, vPvB

This substance has no endocrine disrupting properties

Other Hazards: No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

Substance Identifications:	alkanes, C14-17, chloro
CAS number:	85535-85-9
EC number:	287-477-0
Index number:	602-095-00-X
Registration Number	01-2119519269-33-0009

M factor:

M (acute) : 10

M (chronic) : 10

3.2. Mixtures

N.A.

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Remove contaminated clothing immediately and dispose off safely.

Wash with plenty of water and soap.

In case of persistent skin irritation consult a doctor.

In case of eyes contact:

Wash immediately with water.

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and hazard labelling.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

N.A.

4.3. Indication of any immediate medical attention and special treatment needed

N.A.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Dry chemical fire extinguisher.

Foaming

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

Product itself is non-combustible.

Development of toxic fumes HCl, CO and halogenated compounds.

Hazardous combustion products:

Hydrogen chloride

5.3. Advice for firefighters

Wear suitable protective clothing (helmet, protective clothings, goggles, fire resistant gloves, boots) and protect respiratory organs (self contained breathing apparatus).

Use suitable breathing apparatus .

Move undamaged containers from immediate hazard area if it can be done safely.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.
Remove persons to safety.
See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.
In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand
Dispose of the collected material in accordance with the current regulations.
Wash with plenty of water.
Retain contaminated washing water and dispose it.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.
Don't use empty container before they have been cleaned.
Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Advice on general occupational hygiene:

Contaminated clothing should be changed before entering eating areas.
Do not eat or drink while working.
See also section 8 for recommended protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

Keep away from water or from damp surroundings.
See subsection 10

Instructions as regards storage premises:

Keep this product in a dry place.
Keep away from unguarded flame, sparks, and heat sources. Avoid direct exposure to sunlight.
Adequately ventilated premises.

Packaging materials:

Do not pour the product into other containers. Always use the original container.
Always keep the containers tightly closed.

7.3. Specific end use(s)

Recommendation(s)

None in particular

Industrial sector specific solutions:

None in particular

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Predicted No Effect Concentration (PNEC) values

PNEC Limit	Exposure Route	Exposure Frequency	Remark
0.001 mg/l	Fresh Water		
0 mg/l	Marine water		
2.6 mg/kg	Freshwater sediments		
13 mg/kg	Marine water sediments		
80 mg/l	Microorganisms in sewage treatments		

10.5 mg/kg Soil (agricultural)

10 mg/kg Food chain

Derived No Effect Level (DNEL) values

Worker Industry	Worker Professional	Consumer	Exposure Route	Exposure Frequency	Remark
47.9 mg/kg			Human Dermal	Long Term, systemic effects	
6.7 mg/m ³		2 mg/m ³	Human Inhalation	Long Term, systemic effects	
6.7 mg/m ³		28.75 mg/kg	Human Dermal	Long Term, systemic effects	
		0.58 mg/kg	Human Oral	Long Term, systemic effects	

8.2. Exposure controls

Individual protection measures:

Personal protective equipment selections vary based on potential exposure conditions and working conditions.

The final choice of protective equipment will depend upon a risk assessment.

Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers.

Please see both sections 5 and 6 for information about personal protective equipment to be worn in an emergency (e.g.: fire or unintentional release of the substance).

Eye protection:

Basket eye glasses.

Technical reference standard: UNI EN 166

Protection for skin:

Not needed for normal use. Anyway, operate according good working practices.

Protection for hands:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Glove suitability and breakthrough time will differ depending on the specific use conditions.

Contact the glove manufacturer for specific advice on glove selection and breakthrough times for your use conditions.

Use protective gloves that provides comprehensive protection.

Wear suitable gloves tested to EN374.

Respiratory protection:

Depending on the potential for exposure, select respiratory protective equipment suitable for the specific conditions of use and in compliance with current legislation.

Not needed for normal use. Anyway, operate according good working practices.

Thermal Hazards:

N.A.

Environmental exposure controls:

Comply with the applicable environmental regulations limiting discharge to air, water and soil.

Hygienic and Technical measures

N.A.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical State: Liquid

Color: N.A.

Odour: Characteristic

Odour threshold: (Data not available.)

pH: N.A.

Kinematic viscosity: N.A. 90-12 mm²/s (20°C) - 25-1200 mm²/s (40°C)

Melting point / freezing point: -50 - -20 °C (Pour point)

Initial boiling point and boiling range: >200°C

Flash point: 210 °C

Upper/lower flammability or explosive limits: N.A.

Vapour density: N.A.

Vapour pressure: 1.3 x 10⁻⁴ - 2.7 x 10⁻⁴ Pa (20°C)

Relative density: 1.1 - 1.45

Solubility in water: Insoluble

Solubility in oil: N.A.

Partition coefficient (n-octanol/water): 7.00

Auto-ignition temperature: Not Relevant (Study scientifically not necessary)

Decomposition temperature: ca. 200°C

Flammability: Non-flammable

Volatile Organic compounds - VOCs = N.A.

Particle characteristics:

Particle size: Not Relevant (Does not apply to liquid.)

9.2. Other information

Miscibility: N.A.

Conductivity: N.A.

Explosive properties: (There are no chemical groups present in the molecule which are associated with these properties)

Oxidizing properties: (There are no chemical groups present in the molecule which are associated with these properties)

Evaporation rate: N.A.

No other relevant information

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Can react with metals and alkaline minerals that have a strong affinity with chlorine.

At high temperatures can react with iron, zinc and aluminum anticipating the decomposition.

10.4. Conditions to avoid

High temperature.

10.5. Incompatible materials

Oxidants, reducing agents.

10.6. Hazardous decomposition products

Carbon dioxide

Hydrochloric acid (HCl).

Thermal decomposition at high temperature will generate irritating vapours.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological Information of the Substance

a) acute toxicity	Not classified Based on available data, the classification criteria are not met LD50 Oral Rat > 4000 mg/kg bw LC50 Inhalation Vapour Rat > 48170 mg/m3 1h LD50 Skin Rabbit > 13500 mg/kg bw
b) skin corrosion/irritation	Not classified Based on available data, the classification criteria are not met
c) serious eye damage/irritation	Not classified Based on available data, the classification criteria are not met
d) respiratory or skin sensitisation	Not classified Based on available data, the classification criteria are not met
e) germ cell mutagenicity	Not classified Based on available data, the classification criteria are not met
f) carcinogenicity	Not classified Based on available data, the classification criteria are not met
g) reproductive toxicity	The product is classified: Lact.(H362)
h) STOT-single exposure	Not classified Based on available data, the classification criteria are not met
i) STOT-repeated exposure	Not classified Based on available data, the classification criteria are not met
j) aspiration hazard	Not classified Based on available data, the classification criteria are not met

11.2. Information on other hazards

Endocrine disrupting properties:

N.A.

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

Eco-Toxicological Information:

Very toxic to aquatic life with long lasting effects.

List of Eco-Toxicological properties of the product

The product is classified: Aquatic Acute 1(H400), Aquatic Chronic 1(H410)

b) Aquatic chronic toxicity : NOEC Fish *Oryzias latipes* 1600 µg/L 21 d

a) Aquatic acute toxicity : LC50 Fish *Alburnus alburnus* > 5000 mg/l 96h

a) Aquatic acute toxicity : EC50 Crustaceans *Daphnia magna* 0.006 mg/l 48h

b) Aquatic chronic toxicity : NOEC Crustaceans *Daphnia magna* 0.01 mg/l 21 d

a) Aquatic acute toxicity : EC50 Algae *Pseudokirchneriella subcapitata* > 3.2 mg/l 72h

12.2. Persistence and degradability

N.A.

12.3. Bioaccumulative potential

N.A.

12.4. Mobility in soil

N.A.

12.5. Results of PBT and vPvB assessment

Material Properties

PBT, vPvB

12.6. Endocrine disrupting properties

N.A.

12.7. Other adverse effects

N.A.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information

14.1. UN number or ID number

3082

14.2. UN proper shipping name

ADR-Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (alkanes, C14-17, chloro)

IATA-Technical name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (alkanes, C14-17, chloro)

IMDG-Technical name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (alkanes, C14-17, chloro)

14.3. Transport hazard class(es)

ADR-Class: 9

IATA-Class: 9

IMDG-Class: 9

14.4. Packing group

ADR-Packing Group: III

IATA-Packing group: III

IMDG-Packing group: III

14.5. Environmental hazards

Marine pollutant: Yes

Environmental Pollutant: Yes

IMDG-EMS: F-A, S-F

14.6. Special precautions for user

Road and Rail (ADR-RID):

ADR-Label: 9

ADR - Hazard identification number: 90

ADR-Special Provisions: 274 335 375 601

ADR-Transport category (Tunnel restriction code): 3 (-)

Air (IATA):

IATA-Passenger Aircraft: 964

IATA-Cargo Aircraft: 964

IATA-Label: 9

IATA-Subsidiary hazards: -

IATA-Erg: 9L

IATA-Special Provisions: A97 A158 A197

Sea (IMDG):

IMDG-Stowage Code: Category A

IMDG-Stowage Note: -

IMDG-Subsidiary hazards: -

IMDG-Special Provisions: 274 335 969

14.7. Maritime transport in bulk according to IMO instruments

N.A.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EU) n. 2020/878

Regulation (EC) n. 1907/2006 (REACH) and subsequent amendments

Regulation (EC) n. 1272/2008 (CLP) and subsequent amendments

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product: 3

Restrictions related to the substances contained: None.

Provisions related to directive EU 2012/18 (Seveso III):

Seveso III category according to Annex 1, part 1	Lower-tier threshold (tonnes)	Upper-tier threshold (tonnes)
---	--------------------------------------	--------------------------------------

Product belongs to category: E1	100	200
---------------------------------	-----	-----

Regulation (EU) No 649/2012 (PIC regulation)

No substances listed

Where applicable, refer to the following regulatory provisions :

German Water Hazard Class.

Class 2: hazardous for water.

SVHC Substances:

Component	Ident. Numb.	Quantity	Material Properties
alkanes, C14-17, chloro	CAS: 85535-85-9 EINECS: 287-477-0 Index: 602-095-00-X	>= 90 - < 100 %	SVHC - PBT - vPvB

15.2. Chemical safety assessment

A Chemical Safety Assessment has been carried out for the substance.

SECTION 16: Other information

Code	Description
EUH066	Repeated exposure may cause skin dryness or cracking.
H362	May cause harm to breast-fed children.
H400	Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Code	Hazard class and hazard category	Description
3.7/Lact.	Lact.	Reproductive toxicity, Hazard category for lactation effects
4.1/A1	Aquatic Acute 1	Acute aquatic hazard, category 1
4.1/C1	Aquatic Chronic 1	Chronic (long term) aquatic hazard, category 1

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

Legend to abbreviations and acronyms used in the safety data sheet:

ACGIH: American Conference of Governmental Industrial Hygienists

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AND: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

BCF: Biological Concentration Factor

BEI: Biological Exposure Index

BOD: Biochemical Oxygen Demand

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CAV: Poison Center

CE: European Community

CLP: Classification, Labeling, Packaging.

CMR: Carcinogenic, Mutagenic and Reprotoxic

COD: Chemical Oxygen Demand

COV: Volatile Organic Compound

CSA: Chemical Safety Assessment

CSR: Chemical Safety Report

DMEL: Derived Minimal Effect Level

DNEL: Derived No Effect Level.

DPD: Dangerous Preparations Directive

DSD: Dangerous Substances Directive

EC50: Half Maximal Effective Concentration

ECHA: European Chemicals Agency

EINECS: European Inventory of Existing Commercial Chemical Substances.

ES: Exposure Scenario

GefStoffVO: Ordinance on Hazardous Substances, Germany.

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

IARC: International Agency for Research on Cancer

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

IC50: half maximal inhibitory concentration

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

IMDG: International Maritime Code for Dangerous Goods.

INCI: International Nomenclature of Cosmetic Ingredients.

IRCCS: Scientific Institute for Research, Hospitalization and Health Care

KAFH: KAFH

KSt: Explosion coefficient.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

LDLo: Leathal Dose Low

N.A.: Not Applicable

N/D: Not defined/ Not available

NIOSH: National Institute for Occupational Safety and Health

NOAEL: No Observed Adverse Effect Level

OSHA: Occupational Safety and Health Administration.

PBT: Persistent, Bioaccumulative and Toxic

PGK: Packaging Instruction

PNEC: Predicted No Effect Concentration.

PSG: Passengers

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

STEL: Short Term Exposure limit.

STOT: Specific Target Organ Toxicity.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

vPvB: Very Persistent, Very Bioaccumulative.

WGK: German Water Hazard Class.

Paragraphs modified from the previous revision:

- SECTION 2: Hazards identification
- SECTION 3: Composition/information on ingredients
- SECTION 5: Firefighting measures
- SECTION 9: Physical and chemical properties
- SECTION 11: Toxicological information
- SECTION 12: Ecological information
- SECTION 14: Transport information
- SECTION 15: Regulatory information